

## VERSUS SOUND ABSORBING PANELS

VERSUS CE – Ceiling application

VERSUS WA – Wall application

### Technical Characteristics – Panels VERSUS

Panels VERSUS CE and VERSUS WA manufactured by SONIC, S.A., consists of mineral wool boards with high sound absorption coefficient and lining fabric.

Ideal for Auditoriums; Movie theaters; Studios; Conference rooms, etc.

Constitution: Absorbent panels consisting of sound absorbing plates in mineral wool panels, covered by fabric


#### Options:

- |                          |                 |
|--------------------------|-----------------|
| External aluminium frame | - Natural color |
|                          | - Black         |
|                          | - White         |
| External wooden frame    | - Natural color |








### SOUND ABSORPTION COEFFICIENT



### Standard dimensions:















	minimum (mm)		maximum (mm)		Thickness (mm)
	widht	Length	widht	Length	
<b>VERSUS CE / WA</b>	300	600	1200	2400	25 to 200

other dimensions possible upon request





## Colors

Yellow 01	Beige 01	Beige 02	Green 01	Green 02	Green 03	Green 04
						
Blue 01	Blue 02	Blue 03	Blue 04	Brown 01	Grey 01	Grey 02
						
Anthracite 01	Slate 01	Black 01	Orange 01	Orange 02	Brick 01	Brick 02
						

Composition: Fisivon 100% Acrylic

Weigth: 580 gr/m<sup>2</sup>

